



GAS DETECTION PRODUCT OVERVIEW

WE BELIEVE IN QUALITY

We contribute to increase the Italian
Technology and the Style that countersigns
the excellence of Italy all over the world.



geca

Tecno
control

MADE IN ITALY



3 PRODUCTION UNITS IN ITALY

SALES ALL OVER THE WORLD

EXPORTING TO 91 COUNTRIES

www.gecasrl.it

RESIDENTIAL GAS DETECTION




RESIDENTIAL GAS DETECTOR

- LED STATUS INDICATOR AND LOCAL SOUNDER
- 1 RELAY OUTPUT / 2 RELAYS OUTPUT
- 230 VAC / 12 VDC / 110 VAC / 24 VDC
- CATALYTIC SENSOR
- IMQ CERTIFIED



RESIDENTIAL GAS DETECTOR WITH REPLACEABLE SENSOR

- LED STATUS INDICATOR AND LOCAL SOUNDER
- 1 RELAY OUTPUT
- 230 VAC / 12 VDC / 110 VAC / 24 VDC
- CATALYTIC SENSOR
- IMQ CERTIFIED



RESIDENTIAL CARBON MONOXIDE DETECTOR

- LED STATUS INDICATOR AND LOCAL SOUNDER
- BATTERY POWERED OPTION
- 230 VAC / 12 VDC OPTION
- ELECTROCHEMICAL SENSOR
- 6 YEARS LIFE / 10 YEARS LIFE



GAS SOLENOID VALVE

- NORMALLY OPEN OR NORMALLY CLOSE
- 550 MBAR OR 6 BAR
- FROM 1/2" TO DN150
- 230 VAC – 12 VDC/VAC – 24 VDC/VAC / 110 VAC
- MANUAL / AUTOMATIC RESET



SAFETY KIT

You can combine one gas detector with one of our gas solenoid valve to have the perfect residential SAFETY KIT.



COMMERCIAL GAS DETECTION



CONTROL UNIT FOR 3 REMOTE SENSORS

- 3 ZONES
- 3 RELAYS OUTPUT
- 230VAC / 110 VAC / 12 VDC
- LED INDICATORS
- IP65



CONTROL UNIT WITH INCORPORATED SENSOR

- STAND-ALONE DETECTOR
- 3 RELAYS OUTPUT
- 230VAC / 110 VAC / 12-24 VDC / VAC
- LED INDICATORS
- IP44



IP44 GAS DETECTOR

- IP44
- 4÷20MA OUTPUT
- 12÷24VDC
- FLAMMABLE GASES
- CATALYTIC SENSOR



ATEX GAS DETECTOR

- EXPLOSION PROOF DETECTOR - ATEX CERTIFIED
- 4-20MA OUTPUT
- 12÷24VDC
- FLAMMABLE GASES
- ALUMINUM CASE



SIREN

- 115DB
- 230 VAC / 12 VDC
- ACOUSTIC AND VISUAL ALARM

INDUSTRIAL GAS DETECTION



CONTROL UNIT FOR 4 - 8 SENSORS

- UP TO 8 ZONES
- UP TO 9 RELAYS OUTPUTS
- BACKLIT DISPLAY
- EASY CONFIGURATION PROGRAM
- FREE SETTING OF LEVELS OF ALARM
- LED INDICATORS



CONTROL UNIT FOR 4 - 24 SENSORS

- UP TO 24 ZONES
- UP TO 25 RELAYS OUTPUTS
- BACKLIT DISPLAY
- EASY CONFIGURATION PROGRAM
- FREE SETTING OF LEVELS OF ALARM
- LED INDICATORS



GAS DETECTOR - ATEX CERTIFIED

- REPLACEABLE CARTRIDGE SENSOR
- 12÷24 VDC
- DISPLAY WITH REAL-TIME VISUALIZATION GAS CONCENTRATION.
- 4÷20 MA OUTPUT
- CALIBRATION AVAILABLE UP TO 95 DIFFERENT TYPE OF GASES

CE 0722 Ex II 2 G Ex d IIC T6 Gb



GAS DETECTOR - IP65

- REPLACEABLE CARTRIDGE SENSOR
- 12÷24 VDC
- IP65
- 4÷20 OUTPUT
- 3 LED INDICATORS
- CALIBRATION AVAILABLE UP TO 95 DIFFERENT TYPE OF GASES



STAND ALONE GAS DETECTOR WITH 3 RELAYS OUTPUT

- REPLACEABLE CARTRIDGE SENSOR
- 12÷24 VDC 110/230 VAC
- IP65
- 3 RELAYS OUTPUT
- 3 LED INDICATORS
- CALIBRATION AVAILABLE UP TO 95 DIFFERENT TYPE OF GASES

GAS TRAIN EQUIPMENT



GAS REGULATOR WITH SLAM SHUT OFF VALVE

- OPSO - UPSO
- ALUMINUM BODY
- 1" 1/4 - 1" 1/2 - 2"
- 500 MBAR / 5 BAR



GAS GOVERNOR

- ALUMINUM BODY
- FROM 1/2" TO DN150
- 500 MBAR / 1 BAR / 2 BAR / 5 BAR



AUTOMATIC GAS VALVE

- ALUMINUM BODY
- FROM 1/2" TO DN150
- 360MBAR / 6 BAR
- FAST OPENING / FAST CLOSING
- SLOW OPENING / FAST CLOSING



GAS FILTER

- ALUMINUM BODY
- FROM 1/2" TO DN150
- 6 BAR / 10 BAR



geca

GECA S.r.l.
Via E. Fermi, 98 | 25064 Gussago (BS) | Italy
Tel. +39 030 3730218
Fax +39 030 3730228
E-mail: export@gecasrl.it
www.gecasrl.it

**Tecno
control**

Tecnocontrol S.r.l.
Via Miglioli, 47 | 20090 Milano | Italy
Tel. +39 02 26922890
Fax +39 02 2133734
E-mail: export@tecnocontrol.it
www.tecnocontrol.it